

voice

easier audio analysis for digital phenotyping

Filipe J. Zabala · Giovanni A. Salum Jr.

Graduate Program in Psychiatry
Medical School · UFRGS

2023-07-25

- ① What is voice
- ② Why another package
- ③ Some results
- ④ Current research

1. What is voice

- Tool for voice analysis

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)
- Based on

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)
- Based on
 - UNIX's [ffmpeg](#), [Homebrew](#), [Miniconda](#), [MuseScore](#), [wget](#)

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)
- Based on
 - UNIX's [ffmpeg](#), [Homebrew](#), [Miniconda](#), [MuseScore](#), [wget](#)
 - R's [gm](#), [music](#), [reticulate](#), [tabr](#), [tidyverse](#), [tuneR](#), [wrassp](#)

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)
- Based on
 - UNIX's [ffmpeg](#), [Homebrew](#), [Miniconda](#), [MuseScore](#), [wget](#)
 - R's [gm](#), [music](#), [reticulate](#), [tabr](#), [tidyverse](#), [tuneR](#), [wrassp](#)
 - Python's [Parselmouth](#), [pyannote-audio](#)

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)
- Based on
 - UNIX's [ffmpeg](#), [Homebrew](#), [Miniconda](#), [MuseScore](#), [wget](#)
 - R's [gm](#), [music](#), [reticulate](#), [tabr](#), [tidyverse](#), [tuneR](#), [wrassp](#)
 - Python's [Parselmouth](#), [pyannote-audio](#)
 - C's [Praat](#)

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)
- Based on
 - UNIX's [ffmpeg](#), [Homebrew](#), [Miniconda](#), [MuseScore](#), [wget](#)
 - R's [gm](#), [music](#), [reticulate](#), [tabr](#), [tidyverse](#), [tuneR](#), [wrassp](#)
 - Python's [Parselmouth](#), [pyannote-audio](#)
 - C's [Praat](#)
- Recommended for digital phenotyping

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)
- Based on
 - UNIX's [ffmpeg](#), [Homebrew](#), [Miniconda](#), [MuseScore](#), [wget](#)
 - R's [gm](#), [music](#), [reticulate](#), [tabr](#), [tidyverse](#), [tuneR](#), [wrassp](#)
 - Python's [Parselmouth](#), [pyannote-audio](#)
 - C's [Praat](#)
- Recommended for digital phenotyping
 - Non-invasive

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)
- Based on
 - UNIX's [ffmpeg](#), [Homebrew](#), [Miniconda](#), [MuseScore](#), [wget](#)
 - R's [gm](#), [music](#), [reticulate](#), [tabr](#), [tidyverse](#), [tuneR](#), [wrassp](#)
 - Python's [Parselmouth](#), [pyannote-audio](#)
 - C's [Praat](#)
- Recommended for digital phenotyping
 - Non-invasive
 - Objective

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)
- Based on
 - UNIX's [ffmpeg](#), [Homebrew](#), [Miniconda](#), [MuseScore](#), [wget](#)
 - R's [gm](#), [music](#), [reticulate](#), [tabr](#), [tidyverse](#), [tuneR](#), [wrassp](#)
 - Python's [Parselmouth](#), [pyannote-audio](#)
 - C's [Praat](#)
- Recommended for digital phenotyping
 - Non-invasive
 - Objective
 - Programmable

1. What is voice

- Tool for voice analysis
- Free software available on [CRAN](#)
- Based on
 - UNIX's [ffmpeg](#), [Homebrew](#), [Miniconda](#), [MuseScore](#), [wget](#)
 - R's [gm](#), [music](#), [reticulate](#), [tabr](#), [tidyverse](#), [tuneR](#), [wrassp](#)
 - Python's [Parselmouth](#), [pyannote-audio](#)
 - C's [Praat](#)
- Recommended for digital phenotyping
 - Non-invasive
 - Objective
 - Programmable
 - Verifiable

2. Why another package

- User-friendly functions, e.g.

2. Why another package

- User-friendly functions, e.g.
 - `extract_features` to build data frames with state of art features from multiple audio files

2. Why another package

- User-friendly functions, e.g.
 - `extract_features` to build data frames with state of art features from multiple audio files
 - `tag` to attach summarized columns from audio files to canonical data

2. Why another package

- User-friendly functions, e.g.
 - `extract_features` to build data frames with state of art features from multiple audio files
 - `tag` to attach summarized columns from audio files to canonical data
 - `diarize` to map who spoke when

2. Why another package

- User-friendly functions, e.g.
 - `extract_features` to build data frames with state of art features from multiple audio files
 - `tag` to attach summarized columns from audio files to canonical data
 - `diarize` to map who spoke when
 - `splitw` to split the spoken parts into small blocks

2. Why another package

- User-friendly functions, e.g.
 - `extract_features` to build data frames with state of art features from multiple audio files
 - `tag` to attach summarized columns from audio files to canonical data
 - `diarize` to map who spoke when
 - `splitw` to split the spoken parts into small blocks
- Three new features proposed

2. Why another package

- User-friendly functions, e.g.
 - `extract_features` to build data frames with state of art features from multiple audio files
 - `tag` to attach summarized columns from audio files to canonical data
 - `diarize` to map who spoke when
 - `splitw` to split the spoken parts into small blocks
- Three new features proposed
 - Formant Removal

2. Why another package

- User-friendly functions, e.g.
 - `extract_features` to build data frames with state of art features from multiple audio files
 - `tag` to attach summarized columns from audio files to canonical data
 - `diarize` to map who spoke when
 - `splitw` to split the spoken parts into small blocks
- Three new features proposed
 - Formant Removal
 - Formant Cumulated Removal

2. Why another package

- User-friendly functions, e.g.
 - `extract_features` to build data frames with state of art features from multiple audio files
 - `tag` to attach summarized columns from audio files to canonical data
 - `diarize` to map who spoke when
 - `splitw` to split the spoken parts into small blocks
- Three new features proposed
 - Formant Removal
 - Formant Cumulated Removal
 - Formant Position Removal

2. Why another package

- User-friendly functions, e.g.
 - `extract_features` to build data frames with state of art features from multiple audio files
 - `tag` to attach summarized columns from audio files to canonical data
 - `diarize` to map who spoke when
 - `splitw` to split the spoken parts into small blocks
- Three new features proposed
 - Formant Removal
 - Formant Cumulated Removal
 - Formant Position Removal
- Allows the use of music notation and theory

- Predicting sex

- Predicting sex
 - Median accuracy greater than 90%

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%
 - Median precision greater than 93%

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%
 - Median precision greater than 93%
- [Kaggle's BirdCLEF 2023](#)

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%
 - Median precision greater than 93%
- [Kaggle's BirdCLEF 2023](#)
 - Simple solution

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%
 - Median precision greater than 93%
- [Kaggle's BirdCLEF 2023](#)
 - Simple solution
 - No need of huge processing

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%
 - Median precision greater than 93%
- Kaggle's BirdCLEF 2023
 - Simple solution
 - No need of huge processing
- Vocal signature

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%
 - Median precision greater than 93%
- Kaggle's BirdCLEF 2023
 - Simple solution
 - No need of huge processing
- Vocal signature
 - Nine speakers clearly discriminated

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%
 - Median precision greater than 93%
- Kaggle's BirdCLEF 2023
 - Simple solution
 - No need of huge processing
- Vocal signature
 - Nine speakers clearly discriminated
 - $62 \times 6 = 372$ summarized features

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%
 - Median precision greater than 93%
- Kaggle's BirdCLEF 2023
 - Simple solution
 - No need of huge processing
- Vocal signature
 - Nine speakers clearly discriminated
 - $62 \times 6 = 372$ summarized features
 - First 3 principal components explains 87% of the total variability

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%
 - Median precision greater than 93%
- Kaggle's BirdCLEF 2023
 - Simple solution
 - No need of huge processing
- Vocal signature
 - Nine speakers clearly discriminated
 - $62 \times 6 = 372$ summarized features
 - First 3 principal components explains 87% of the total variability
- Putting voice on musical sheet

- Predicting sex
 - Median accuracy greater than 90%
 - Median F1 greater than 89%
 - Median kappa greater than 55%
 - Median precision greater than 93%
- Kaggle's BirdCLEF 2023
 - Simple solution
 - No need of huge processing
- Vocal signature
 - Nine speakers clearly discriminated
 - $62 \times 6 = 372$ summarized features
 - First 3 principal components explains 87% of the total variability
- Putting voice on musical sheet
 - voice vignette

4. Current research

- Link with other areas

4. Current research

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)
 - Quantitative Biology (Birds sounds, [Rafael de Andrade Moral](#), Maynooth University, Ireland)

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)
 - Quantitative Biology (Birds sounds, [Rafael de Andrade Moral](#), Maynooth University, Ireland)
 - Pulmonology (Chronic cough, [Cesar A. Keller](#), Mayo Clinic, USA)

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)
 - Quantitative Biology (Birds sounds, [Rafael de Andrade Moral](#), Maynooth University, Ireland)
 - Pulmonology (Chronic cough, [Cesar A. Keller](#), Mayo Clinic, USA)
- Automatically identify speakers

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)
 - Quantitative Biology (Birds sounds, [Rafael de Andrade Moral](#), Maynooth University, Ireland)
 - Pulmonology (Chronic cough, [Cesar A. Keller](#), Mayo Clinic, USA)
- Automatically identify speakers
 - Proportion of speech on audio by speaker

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)
 - Quantitative Biology (Birds sounds, [Rafael de Andrade Moral](#), Maynooth University, Ireland)
 - Pulmonology (Chronic cough, [Cesar A. Keller](#), Mayo Clinic, USA)
- Automatically identify speakers
 - Proportion of speech on audio by speaker
 - Summary statistics by speaker

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)
 - Quantitative Biology (Birds sounds, [Rafael de Andrade Moral](#), Maynooth University, Ireland)
 - Pulmonology (Chronic cough, [Cesar A. Keller](#), Mayo Clinic, USA)
- Automatically identify speakers
 - Proportion of speech on audio by speaker
 - Summary statistics by speaker
 - Probabilities by speaker

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)
 - Quantitative Biology (Birds sounds, [Rafael de Andrade Moral](#), Maynooth University, Ireland)
 - Pulmonology (Chronic cough, [Cesar A. Keller](#), Mayo Clinic, USA)
- Automatically identify speakers
 - Proportion of speech on audio by speaker
 - Summary statistics by speaker
 - Probabilities by speaker
- `plot_note` function to intuitively plot frequencies/notes

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)
 - Quantitative Biology (Birds sounds, [Rafael de Andrade Moral](#), Maynooth University, Ireland)
 - Pulmonology (Chronic cough, [Cesar A. Keller](#), Mayo Clinic, USA)
- Automatically identify speakers
 - Proportion of speech on audio by speaker
 - Summary statistics by speaker
 - Probabilities by speaker
- `plot_note` function to intuitively plot frequencies/notes
- Chords progression (e.g. major/minor)

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)
 - Quantitative Biology (Birds sounds, [Rafael de Andrade Moral](#), Maynooth University, Ireland)
 - Pulmonology (Chronic cough, [Cesar A. Keller](#), Mayo Clinic, USA)
- Automatically identify speakers
 - Proportion of speech on audio by speaker
 - Summary statistics by speaker
 - Probabilities by speaker
- `plot_note` function to intuitively plot frequencies/notes
- Chords progression (e.g. major/minor)
- Build a dashboard to allow easy interaction

- Link with other areas
 - Linguistics (Prosody, [Cláudia Brescancini](#), PUCRS, Brazil)
 - Quantitative Biology (Birds sounds, [Rafael de Andrade Moral](#), Maynooth University, Ireland)
 - Pulmonology (Chronic cough, [Cesar A. Keller](#), Mayo Clinic, USA)
- Automatically identify speakers
 - Proportion of speech on audio by speaker
 - Summary statistics by speaker
 - Probabilities by speaker
- `plot_note` function to intuitively plot frequencies/notes
- Chords progression (e.g. major/minor)
- Build a dashboard to allow easy interaction
 - Allow user to send, link and record audios

THANK YOU!